

**Brand Identity Manual** 



# Welcome to the Merit Brass Co. Brand

Enclosed are our branding guidelines which are designed to provide you with detailed instructions and graphic design rules. As a family business owned and operated since 1937, we want to ensure that our philosophy and rich history is represented in the way that Merit presents our brand to you and everyone who encounters our brand.

Please review these guidelines thoroughly. All communication materials must be designed with a consistent representation of the Merit brand identity and business. Our brand voice is part of everything we do, which is why it is so critical that these guidelines are adhered to. We appreciate your commitment to these guidelines to help support, sustain and solidify what many have come to know as the Merit brand.

Merit has a rich history of offering the most comprehensive flow control and piping connection technology. As the Merit family, we differentiate ourselves by being extraordinarily customer centric and committed to providing high-touch, personalized service that exceeds expectations and results in what we refer to as the Merit Experience. Our brand culture is built around the Merit Experience formed from the Merit brand and it is what makes our family unique to everyone we serve. All disciplines at Merit are rooted in this brand culture and is what continues to drive our success today and tomorrow.

Through this document, our goal is to provide our partners with insight into our brand culture, and together, bring brand awareness and a consistent brand message to the market. Because of your commitment to aligning with Merit's guidelines, our brand voice and its visual representation will only strengthen our position in this growing & competitive market. Use of the Merit brand including CopperPress<sup>®</sup>, StainlessPress<sup>®</sup> and CarbonPress<sup>®</sup> will require written authorization to publish anything electronically or in print.

If you have any questions or any insight into how the Merit brand is resonating with our PVF family around the world, please contact us at mbmarketing@meritbrass.com.

Sincerely,

**Kimberly Wallingford** Director of Marketing Merit Brass Co.



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement



## The Merit Logo

### STRONG, BOLD UPPERCASE LETTERING DEFINING MERIT

### **Quality-driven**

**Customer-focused** 

### Family of passionate people

Innovative solutions driven to provide value

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement



# The Merit Logo Detailed

### Merit Brass... Directing the Flow of Quality.

Let's review how we define the heart of Merit.

Since 1937, Merit has been rooted in quality designed to serve communities. We have built a culture around a family of passionate individuals committed to serving our wholesale partners with consistent, high-quality services & products. Products that merit a place in their inventory. Our experience has brought us a family of vendors who share in our vision and are committed to driving quality across all vertical markets.

Merit is a family founded in bringing innovative solutions to our channel partners. Our team of associates hear the voice of customers and go above-and-beyond to bring solutions to ensure their success.

We are an organization excited about our offering; a family of passionate individuals driven to serve, an experienced team driven to inspire your confidence in us as your provider.

Merit instills in its associates a thirst for creativity where ideas flow within and across departments. Each idea is born with the goal of making us better and serving you better. Merit's mission is to embody ease of doing business in every experience you encounter with us. We want quality flowing in every aspect of working with us towards your success.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

CONCLUSION

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement



## The Safe Zone for Our Logo

[1] The Merit logo is required to have a safe zone/area that surrounds the logo. This ensures that other graphical elements are not diminishing the impact of the logo.

The minimum clear space surrounding the logo must be 0.25" all around. It is important to note that the surrounding clear space can exceed 0.25". One should always use scaling when resizing (shift key should be pressed while dragging the corner of the art to increase/decrease its size) the Merit Brass logo.

[2] The slogan should be aligned between the Directing the Flow of and Quality. Additionally, the clear space should be 0.25" from the tip of the 'y' in quality. The slogan itself should be an 'x' from the bottom of the orange logo to the top of the 'Q' in quality. The slogan should also be directly under the Merit Brass logo. Improper use includes: above, left or right of the logo.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement



# Position & Lock-up

The Merit logo is designed in PMS 159 which is a darker orange. It is important to choose complementary colors on which to place the Logo. It is important to note this since the Merit logo is free floating on all backgrounds. The elements surrounding the Merit logo must not impede its ability to stand out or "pop".

In addition to the color choices surrounding the Logo, please adhere to the safe zone/ clear space surrounding the Logo found on page 6.

The Merit logo can only be reduced in size to a point where both the Merit Brass and the respective slogan are legible and distinguishable.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### BRAND FONTS

Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# The Do's and Don'ts



Do: Present the PMS 159 logo on dark backgrounds with a white tagline/slogan



Do: Present the logo in black on light backgrounds with a black tagline/slogan



Do: Present the PMS 159 logo on lighter backgrounds with a black tagline/slogan



Do: Present the logo in black on dark backgrounds with a white tagline/slogan





Do not: Separate the Merit Brass letters from the logo Do not: Present the logo with a glow or drop shadow (inner or outer).





Do not: strech or shrink the logo



Do not: Put the logo in shapes





# BRAND COLORS

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**


Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **The Merit Brand Colors**

Merit's brand colors help support brand recognition. For these reasons, it is imperative that associates and partners live within the corporate color scheme. This includes wearables, electronic format and in print format where the Merit branding is portrayed. Specific to wearables, our logo may only be embroidered, or silk screen printed on white, gray (light or dark) or black. In addition, our Marketing Department must provide written authorization for the wearable request and approve its respective artwork.

At Merit, we proudly tout our PM\$159 orange and complement strength of the orange with gray, white and black.

### Our family of Merit bleeds orange.



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography


### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Primary Color Palette**





The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures **Business** Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Press Offering Colors**

Specific to our press offering and the respective sealing elements, please note our color scheme below:

### Master Box, Inner Box, and Bag Labels Color

EPDM	(WATER)			HNBR (	GAS)		
PMS 7738 C	<b>Hex</b> #48A23F	<b>RGB</b> 72/152/63	<b>CMYK</b> 56/0/61/36	<b>PMS</b> 12-0643	Hex #F8E72C	<b>RGB</b> 248/231/44	<b>CMYK</b> 0/7/82/3

### VIPR® (Visual Indicator Press Ring®) Color

EPDM	(WATER)			HNBR (
<b>PMS</b> 356 C	<b>Hex</b> #007A33	<b>RGB</b> 0/122/51	<b>CMYK</b> 100/0/58/52	<b>PMS</b> 604 C

### VIPR® (Visual Indicator Press Ring®) Text Box Color

EPDM (WA	TER)	

HNBR	(GAS)			
PMS	Hex	RGB	CMYK	

MS	нех	KGB	CMYK
04 C	#EADA24	234/2181/36	0/7/85/8



# **BRAND FONTS**

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

**BRAND PRINCIPALS** 

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels **Email Signatures Business** Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring<sup>®</sup> **Business Unit Safe Zones** Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Our Family of Fonts**

It is important to understand that fonts play a critical role in brand recognition as well. For this reason, the below referenced fonts must always be used when referencing the Merit brand specific to our slogan, press technology, individual press brands and VIPR<sup>®</sup> band.

# **Century Gothic**

Reaular // bold







# **VIPR®** Technology Visual Indicator Press Ring<sup>®</sup>

**ABCDEFGHIJKLMNOPQRSTUVWXYZ** abcdefghijklmnopgrstuvwxyz 1234567890

### ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

BRAND COLORS The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Our Family of Fonts**

For Merit branded items, "Directing th Flow of Quality" must be in white text on black items, white text on medium gray/dark items.

# TRAJAN PRO 3

U

### DIRECTING THE FLOW OF

ABCDEFGHIJKLMNOPQRSTUVWXYZ ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

Vladimir Script

Regular

Quality

ABCDEFGHIGKLMMOPORSTUUUXYZ abedefghijklmnopqrstuvwxyz 1234567890

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

CONCLUSION

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Our Family of Fonts**

# Acumin Variable

# Concept

Black // Thin

# MERIT PRESS® TECHNOLOGY

### ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1 2 3 4 5 6 7 8 9 0

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890



# BRAND PRINCIPALS

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

## **Our Brand Voice**

Merit's mission is to maintain & uphold Merit's legacy of providing quality products & services to our customers with dedication and passion.

The Merit brand voice connects with its audience in a tone that is both serious & knowledgeable because of our decades of experience. As a family owned and operated business, we further serve those who engage with our company in a family-friendly and helpful tone. Our team is committed to passionately demonstrating that you are an extension of the Merit family.

It is important that the brand has one voice. The brand can be diluted when multiple individuals (associates, partners, etc.) write copy for different publications and materials. It is important that the brand's voice is unified and consistent; and not disconnected, as if it has several personalities.

Here are some important guidelines to preserve our brand voice:

- State the facts clearly. Write direct, succinct sentences. Don't embellish copy with lavish sales jargon.
- Be honest and genuinely sincere.
- We are a helpful, family-friendly business comprised of passionate people and our tone should reflect that passion along with a tone of helpfulness and knowledge.
- We must demonstrate a relentlessness in offering solutions that stem from the customer's pain points as part of our helpful nature.
- State true differentiators rather than a roster of features that are focused on engineering.
- Don't be boring, stoic, abrasive, arrogant or argumentative.

Our imagery is designed to support the brand's voice in a family-friendly, professional way. Be sure to keep in mind that our voice and imagery work in tandem with each other.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Our Brand Imagery**

As a family business for over 8 decades, the imagery representing the Merit brand must demonstrate high quality with family in mind. The essence of who we are resides in our people. A diverse group of individuals driven with a passion to succeed, grow and drive improvement. It is our people who bring the essence of Merit Brass to light through their thoughts, words and actions. This Merit brand not only connects our associates to each other, but our suppliers and customer partners are extensions of our family. For these reasons, our photography must draw out the global connectivity between our suppliers, associates, and partnerships.

Our product imagery is designed to artistically reflect the flow of quality of part and the strength and depth of our brand.

The brand's essence is deeply rooted in our imagery as we create photography that separates us from others in our space. Each visual representation of Merit drives home the unique experience you receive from interacting with our brand and people. Our brand imagery is reflective of a culture of individuals dedicated to our customer's success and each other's demonstrated through imagery of associates in their work environments. We celebrate the efforts of each member of our family and choose imagery that echoes not only our appreciation but the effort each associate puts forth.



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### Each image includes the key elements of photography:

- Background
- Focus
- Foreground
- Reflection
- Sunlight
- Shadow

It is important to note that prior written authorization of using Merit's images must be received from our Marketing Department. Please detail how you intend on using our images. Marketing can be reached at mbmarketing@meritbrass.com.







The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# Photography: Regulations & Guidelines

### Casting

As a brand committed to quality and family, Merit uses real associates (not models) in representing our brand. This solidifies the true Merit Experience for both the associate and consumer as genuine and thought felt. Merit's employee handbook serves as the catalyst for the required attire during a video or photo shoot. Each associate should bring to the video or imagery a commitment to serve, a passion to succeed and drive to improve.

We are a company founded on diversity and inclusion and must be mindful of how, where and when we are communicating. Always be cognizant of where the message is being delivered and the people involved in that country, region, state, area; and be respectful and mindful of people's individuality. We want our moments reflected in a natural, relaxed, organic fashion. Anything else is disingenuous and forced.



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** 

Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**


Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### Legal

- Written approval by Merit is always required for third parties to use our imagery, documents, branding, drawings or video.
- Any participant in a video or image must provide written consent through Merit's model release form.
- Customers, service providers and vendors must agree to the following conditions in writing before any business or information is shared:
  - » Terms and conditions of sale/purchase
  - » Vendor Code of Conduct
  - » Pictures, drawings, videos or any other information provided remain vested in your company or Merit.
  - » No Merit trademarks, patents, copyright, patent applications or other proprietary rights are granted to the vendor.
  - » Any intellectual property rights that evolve from services or work provided by your company or Merit, must be assigned to Merit or your company.
  - » Written permission must be received for any pictures of products, brands, trade[marks] or logos of a customer or vendor prior to publicizing them.





# BRAND LAYOUT

In the pages that follow, Merit will review our signature look and how we present our Company graphically. It is important to note all the elements that support our brand such as headlines, subheads, copy, etc. play a vital role in the message we are relaying to the market around Merit Brass.

The Merit logo which is the essence of our brand must be properly positioned as the centerpiece. How we surround our logo in imagery, text, and placement echoes how we are Directing the Flow of Quality and impacts brand perception and recognition. It is vital that all components are consistent and aligned.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

## Layout Explained

### **The Headline**

# Headlines are in Century Gothic Bold and should be larger than the body copy.

### The Body Copy

Body copy in Century Gothic Regular and at least half the size of a headline.

### The URL

URL text in Century Gothic Regular or Bold and the same size of the body copy. Highlighted in Merit orange.

# Don't use too many font weights on a page. This is confusing.

Stick with only two weights (probably Reg and Bold) and plan your font hierarchy.

# Don't crowd your text and don't create $\times$ widows.

A widow is one word on an ending line, like the headline above. Also see how this text doesn't have space to breathe - everything is too close together.

X

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

CONCLUSION

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

## **Title and Subtitle**

The Title

# Titles are in Century Gothic Bold and should be larger than the subtitle.

### The Subtitle

Subtitles in Century Gothic Bold and at least half the size of a title.

# This is a Title

# This is a Title

Accompained by a Subtitle

### This is a Subtitle Accompained by a Title

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

**BRAND PRINCIPALS** 

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**


Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

CONCLUSION

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Print Templates**



CarbonPress® Product Dimensional Catalog 2023



StainlessPress® Handout

Save 30-50% in project planning, cost & execution	arbonPr	ess® Codes and St	landard	ds .		d	COLUMN TWO IS NOT			DISTER OPERAT	ING CONDITIONS		CABLOAP	aress"
	ASVE B31.	Power Piping			Contra State						PREZNAL	ENPERADE		
	ASUF BS1	Process Ploing							Chiled Water	Low Pressure Suders Seam	232 ori	Min. 427	1	-
		Building Service Plaing					444	FLUDS/ NUCLE	Hydronic Heating	Ethylene Glycol, Propylene Glycol	# 230 pri	300%	V	
		Natural Gas and Propane In					1114		Low Pressure System Step	n	15 pil max.	300%	~	
				code					Argon		230 pni	Mpc 1401	~	
		form Mechanical Code (UM	C)						Corbon Dicelde		230 pni	Mex. 1409	~	
	IAPMO Uni	form Flumbing Code (UFC)					<b>6</b>		Compressed Air	Ol Concentrate <25mg/w3	230 gol	Mox, 1479		
							100	GASES	Natural Gas. UP Gas -401	Ol Concentrate >25mg/w3	230 psi	Moc 1409	-	
C	arbonPr	ess® Certifications							to 190% and Fuel OI		125 psi mon.	-479 10 1879		
	IAPMO Z 1	17 IEPDMI				-			Nhogen		230 psi	Mpc 1427	~	
	IA PROPINS	SILC 4/CSA 6.32 (HNBR)			10010		N. 2 1		Vecuum		29.2 in Hg max.	Mpc 1409		
Transfer i		area dictari eras finanti			4 10 m	D	7 N. 37 .		Diesel Fuel	Compliant with NPA 30 & 30A	125 psl			
						-		05.6	Engine Oil		1.90 psi	Anbiett		
Contraction of the second s	arbonPr	ess® Temperature i	& Pressu	ure		- ( <b>A</b>	-	LUBRICANTS	Heating Fuel Oil		125 psi	-40% to 180%		
	Temperatu	re Range: EPDM -40°F to 300°	F (-40°C to 1	148°C)					Hydroulic Ruid	Mineral Based	230 psi	Anbient		
and the second sec	-	essure range from full vacuus			Incel for moder	Co.			Transmission Ruld		230 pni	Ambient		
	Working pr Surface Pre	re Range: HNBR -40% to 2009 essure range 125 psi (8.4 bor) stection: Conssion Resistant J	) for gas 2n-Ni Piating	0					NG ELEME					
sporting Balfacture Growth Balfagini Record	Working pr Surface Pre	essure range 125 psi (8.6 bor)	) for gas 2n-Ni Piating	0				SEALI	NG ELEME	EPOM SEALING ELEM				
reporting Diatester Gooth Statiget Record	Working pr Surface Pre	essure range 125 psi (8.4 bor) stection: Conssion Resistant J IG REFERENCE	) for gas 2n-Ni Piating E GUII	0				SEALI	NG ELEME	INTS				
Peperteg Data-Links Grant Battapen Houge	Working pr Surface Pro	essure range 125 psi (8.6 bor) steaten: Consolon Resistant J IG REFERENCI Gols, Kits, Jows and Ring	) for gas Zn-Ni Piating E GUII	DE				SEALI Color	NG ELEME	EPOM SEALING FLEM propylene-diene monomer			(	1
	Working pr Surface Pro OOLIN ComPress®	essure range 125 psi (8.6 bor) stection: Consolon Resistant J GREFERENCI cods, Kits, Jaws and Ring fooling Name	1 for gas Zn-Ni Piating E GUII Adapter	DE	looing Name	Adapher	Profile	SEALI	NG ELEME	EPOM SEALING ELEM propylene-dene monomer 2015 (40°C to 140°C)			(	(
	Working pr Surface Pro OOLIN CONPress* Minerate 2073-20	essure range 125 pd (8.6 bor) dection: Consolan Resistant 2 IG REFERENCE Colls, Kits, Jows and Ring Tooling Name entificace upper here for	1 for gas Zn-Ni Plating E GUII Adapter	DE Bidgid Faire 4763	RP 150 Press Tool	Adapher	Pulle	SEALI Color	NG ELEME	PDM STAUNG FUN stapline-dete monomer lott ( 40°C to 14°C) hoding			(	
	Working pr Surface Pro DOLLN CONPress** Meant e 2075-20 4014-2074	essure range 125 pd (8.6 bor) the clien: Consolon Resistant J G REFERENCE Tools, Kits, Jows and Ring Tooling Name Instituction Section (10 F-17)	1 for gas 2n-Ni Pioting E GUII 93 Adapter	DE Ridgid Kalfe altas Assa	RP 350 Pres Tool Pres Jaw Kil (S.B 17)	Adapher	Profile	SEALI Color Temperature Common App	NG ELEME Bock 407 to 3 plogfiers Office A	POM Stating EIX Store Stating EIX Store Stating Store Stating			(	
	Working pr Surface Pro COLIN CONPress* Microitee Microitee 2075-20 4014-2074 4014-2074	essure range 125 pai (8.6 bor) bection: Consolan Resistant J IG REFERENCE Tools, Kits, Jows and Ring Net Brace logic hesi for set Brace logic hesi for set Brace logic hesi for set Brace logic hesi for set Brace hesi [15 - 7] set Brace hesi [15 - 7]	1 for gas 2n-Ni Pioting E GUII Adapter	DE Ridgid Fore 47643 45558 45558	87 350 Pees Tool Pees Jan 68 (5.8 - 11) Pees Jan 68 (5.8 - 21)	Adapter	Profile	SEALI Color Temperature Common App	NG ELEME Book - 407 to 3 Middoxic Childa W Ol hee A g Process	ENTS EPONE TEALING EEEE propulate-dene monomer XVT ( 40°C to 148°C) moting total with total			(	
	Working pr Surface Pro OOLIN CONPLOSE Mileonitee Part 6 47:14:2014 47:14:2014 47:14:2014 47:14:2014 47:14:2014 47:14:2014 47:14:2014 47:14:2014	essure ronge 125 pd (8.6 bor) hereffere: Consolon Resistent J CORECTION Resistent J College References Resing Name Intel Tarce Logic Must for and Tarce Logic Carl Prove Prov	1 for gas 2n-Ni Pioting E GUII Adapter	2 DE Ridgid Noife 4555 4555 4555	MP 150 Pres Tool Pres Jaw KB (5.8° - 11) Pres Jaw KB (5.8° - 21) Pres Booter	Adapher		SEALI Color Temperature Common App	NG ELEME Bock 407 to 3 plogfiers Office A	ENTS EPONE TEALING EEEE propulate-dene monomer XVT ( 40°C to 148°C) moting total with total			(	
	Working pr Surface Pro OOLIN CONPress* Maree 2015-20 200-20 2015-20 200-200-	essure range 125 pai (8.6 bor) bection: Consolan Resistant J IG REFERENCE Tools, Kits, Jows and Ring Net Brace logic hesi for set Brace logic hesi for set Brace logic hesi for set Brace logic hesi for set Brace hesi [15 - 7] set Brace hesi [15 - 7]	1 for gas 2h-Ni Pioting E GUII Adapter	2 DE Ridgid 4558 4558 4553 4558	87 350 Pees Tool Pees Jan 68 (5.8 - 11) Pees Jan 68 (5.8 - 21)	Adapter	Profile P1-Dest Proj	SEALI Color Temperature Common App	NG ELEME Book - 407 to 3 Middoxic Childa W Ol hee A g Process	ENTS EPONE TEALING EEEE propulate-dene monomer XVT ( 40°C to 148°C) moting total with total			(	
	Working pr Surface Pro OOLIN CONPress* Maree 2015-20 200-20 2015-20 200-200-	esure range 125 pd (8.4 bor) heretien: Consolon Resistant J Context Consolon Resistant J Context Research Research Context Research Resear	1 for gas Zn-Ni Pioting E GUII Adapter	2 DE Ridgid 4008 4008 4008 37958 37958	HP 350 Press Tool Press Jose KB (5.5°-11) Press Jose KB (5.5°-21) Press Boorler 5.5° Press Jose	Adapter	PS- Gette Brog	SEALI Color Temperature Common App	NG ELEME Book - 407 to 3 Middoxic Childa W Ol hee A g Process	ENTS EVALUATE data monomer 2011 (4710 1 kH2) monog 2013 2013 AND	eent		(	
	Working pr Sattace Pro OOLIN CONPress 2079-20	essure range 125 på (B.4 bor) heterten: Consolon flesistant J Constant State (Consolon flesistant J Constant State (Consolon flesistant Nether State (Consolon flesistant Nethers (Consolon flesistant) Nethers (Consolon flesistant) Nethers (Consolon flesistant) Nethers (Consolon flesistant) (Consolon flesistant) Nethers (Consolon flesistant) (Consolon	1 for gas Zn-Ni Pioting E GUII Adapter	DE Redgid 47043 45058 45058 45058 27958 27958 27958	19 30 Pees lool Pees jaw 49 (5.5° - 1°) Pees jaw 49 (5.5° - 2°) Pees jaw 49 (5.5° - 2°) Pees jaw 49 (5.5° - 2°) Pees jaw 1.5° Pees jaw 1° Pees jaw	Adopter 2007	P1- Gott Brig P1- Gott Brig P1- Gott Brig P1- Gott Brig	SEALI Color Temperature Common App	NG ELEME Book - 407 to 3 Middoxic Childa W Ol hee A g Process	ENTS EPONE TEALING EEEE propulate-dene monomer XVT ( 40°C to 148°C) moting total with total	eent		(	
Restance of the second se	Working pr           Surface Print           OOLIN           OORPFress           2000	essure range 125 pol (8.4 bor) thetefor: Consolon Resistant J IG REFERENCE Tools, Kits, Jowe and Sing Network and Sing Network and Sing Sing Network and Sing Sing Network and Sing Sing Network and Sing Sing Network Sing Sing Sing Sing Network Sing Sing Sing Sing Network Sing Sing Sing Sing Sing Network Sing Sing Sing Sing Sing Sing Network Sing Sing Sing Sing Sing Sing Network Sing Sing Sing Sing Sing Sing Sing Sing	1 for pas Zn-Ni Pioting E GUII Adapter	DE Fidald 4/043 4/043 4/053 4/053 3/198 3/198 3/198 3/198 3/198	HP 100 Pees loot Pres Jan 40 (L.F. 1) Pres Jan 40 (L.F. 1) Pres John 40 (L.F. 2) Pres John 4.57 Pres John 4.77 Pres John 1.77 Pres John 1.37 Pres John 1.37 Pres John		PL-Gast-Brig PL-Gast-Brig	SEALI P34 Color Temperature Common App Menufacturin Benetiti of Ser	NG ELEME Bock - 407 to 3 Higdow pleatine Of the A of here also generative content bootent	ENTS EVALUATE data monomer 2011 (4710 1 kH2) monog 2013 2013 AND	eent		(	
Particular State S	Working pr           Surface Print           OOLIN           OORPFress           2000	essure range 125 pd (8.4 bod) therefore: Consolon Resident 1 IC REFERENCE Cols. KHS, Jowe and Ting Net Stars up: the top mission and there are reference up: the top reference u	) for gas 2n-Ni Picting E GUII Adapter 1 Adapter 1	0 <b>Fidged</b> 4/563 4/556 4/556 4/556 4/556 4/556 4/5666 4/5666 4/5666 4/5666 4/5666 4/5666 4/5666 4/5	HP 100 Pees loot Pres Jan 40 (L.F. 1) Pres Jan 40 (L.F. 1) Pres John 40 (L.F. 2) Pres John 4.57 Pres John 4.77 Pres John 1.77 Pres John 1.37 Pres John 1.37 Pres John	2479	PI- Grate Brog PI- Grate Brog PI- Grate Brog PI- Grate Brog	SEALI PPM Color Temperatura Comman Agg Manudacturin Temetits of te	NG ELEME Bod 407 to 3 Photos Chieto M Gilleo A g Photos Sig Bernet Hydroge	ENTS EDITES EDIT	eent		(	
Particular State S	Working pr           Sentace fm           OOLLY           CONFress           Wrankee           4 markee           4 markee <t< td=""><td>essure range 125 pol (8.4 bor) theteter: Consolon Resistant J IG REFERENCE Tools, Kits, Jowe and Sing Network and Sing Sing Network and Sing Sing Sing Milliaca an head (J.F. 1) milliaca an head (J.F. 2) milliaca an head (J.F. 2)</td><td>) for gas 2n-Ni Picting E GUII Adapter 1 Adapter 1</td><td>C DE Ridgid 47043 4503 4503 4008 37958 27958 37958 37958 37958 37958 37958 37958 37958 37959 3795</td><td>87 50 Pea Soi Pea Jan K (J.S. 13 Pea Jan K (J.S. 23 Pea Soint G.F. Pea Soint G.F. Pea Soint G.F. Pea Jan G.F. Pea Jan J.J. Pea Sing J.J. Pea Sing J.J. Pea Sing J.F. Pea Sing</td><td>2878 2879 2879 2879</td><td>15 - Cent Ang 15 - Cent Ang</td><td>SEALI P34 Color Temperature Common App Menufacturin Benetiti of Ser</td><td>NG ELEME Bock - 471 to 3 Higdosc ploatine Of the A d Process spinibile strip Bennet Distant Higdosc Hi</td><td>ENTS Promission Provide Statute State Provide State Provid</td><td>eent</td><td></td><td>(</td><td></td></t<>	essure range 125 pol (8.4 bor) theteter: Consolon Resistant J IG REFERENCE Tools, Kits, Jowe and Sing Network and Sing Sing Network and Sing Sing Sing Milliaca an head (J.F. 1) milliaca an head (J.F. 2) milliaca an head (J.F. 2)	) for gas 2n-Ni Picting E GUII Adapter 1 Adapter 1	C DE Ridgid 47043 4503 4503 4008 37958 27958 37958 37958 37958 37958 37958 37958 37958 37959 3795	87 50 Pea Soi Pea Jan K (J.S. 13 Pea Jan K (J.S. 23 Pea Soint G.F. Pea Soint G.F. Pea Soint G.F. Pea Jan G.F. Pea Jan J.J. Pea Sing J.J. Pea Sing J.J. Pea Sing J.F. Pea Sing	2878 2879 2879 2879	15 - Cent Ang 15 - Cent Ang	SEALI P34 Color Temperature Common App Menufacturin Benetiti of Ser	NG ELEME Bock - 471 to 3 Higdosc ploatine Of the A d Process spinibile strip Bennet Distant Higdosc Hi	ENTS Promission Provide Statute State Provide State Provid	eent		(	
Restance of the sector of the	Working pr           Sentace fm           OOLIN           OOLIN           Compress           Margaicer           2 075.0           4 41.4581	essure range 125 pd (8.4 bot) therefore: Consolon Resident J IC REFERENCE Cols. Refs. Jowes and Targe Networks and Targe	) for gas 2n-Ni Pioting E GUII Adapter 1 Adapter 1 er rosorr er rosorr er rosorr	C DE Ridgid 6/563 4/575 4	87 50 Pee 500 Pee 3 pee 6 (57:17) Pee 3 pee 6 (57:27) Pee 8 booker C 77 Pee 3 pee 727 Pee 3 pee 727 Pee 3 pee 1.37 Pee 8 Peg 1.37 Pee 8 Peg 2 7 Pee 8 Peg	21878 21878 21878 21878 21878 21878	191 - Cent-Hrup 195 - Cent-Hrup 195 - Cent-Hrup 195 - Cent-Hrup 195 - Cent-Hrup 195 - Cent-Hrup 195 - Cent-Hrup	SEALI DISM Color Temperature Comman Age Main-Acturit Benetits of Se	NG ELEME Book 407 to 3 Photos Photos Stributo disp Beneti Kedoon Kato Kedoon Kato Kedoon Kato Kedoon Kato K	POINTS PO	eent		(	
	Working pr           Santace Pro           OOLIN           Conference           anispan	escure lange 125 pd (8.4 bor) whether: Consolid Minister 1 Constructions of the second seco	) for gas 2n-Ni Photing E GUII Adapter 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan	C DE Real # 40503 40503 40503 40503 37558 3	IP 30 Puis lost Peis java 03 EF - 13 Peis java 03 EF - 17 Peis Java 03 EF - 7 Peis Java 04 EF - 7 Peis Java 14 Peis Java 14 Jahrens Peis Jahrens Peiss Jahrens Peiss	21878 21878 21878 21878 Prez Bonder Prez Bonder	P5 - Dool- Hing P5 - Dool- Hing	SEALI Pha Color Temperature Comman Age Manufacturin Benefits of Ser	NG ELEME Eleveration Arro a ploatine Childry M Arrow Arro a Protocol Hologo Arro a Hologo Arro a H	ENTS  Prote Failure for the second se	eent		(	
Restance of the second se	Working pr           Sentace Prin           ODLIN           Control (1997)           Control (1997) <t< td=""><td>ensure using 125 pd 18.4 body where the "Consider Fashing" 1 CONSTRUCTION CONSTRUCTION TO A State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the Stat</td><td>) for gas 2n-Ni Photing E GUII Adapter 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan</td><td>C DE Real # 40503 40503 40503 40503 37558 3</td><td>87 50 Pee Soi Pee Jee KI (JST-13 Pee Jee KI (JST-13 Pee Jee KI (JST-23 Pee Jee KI CITPee Jee CITPee JEE CITPEE</td><td>21878 21878 21878 21878 Prez Bonder Prez Bonder</td><td>15 - Geol-Brog 19 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog</td><td>SEALL DISA Color Temperature Comman App Main-Archite Benetik of Se NINR Color Temperature Color</td><td>NG ELEME Book 4/91 (10) 4/01 (</td><td>ENTS  Promotion resource  Promotion  Promotion Promotion  Promotion  Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion</td><td>NENT NENT</td><td></td><td>(</td><td></td></t<>	ensure using 125 pd 18.4 body where the "Consider Fashing" 1 CONSTRUCTION CONSTRUCTION TO A State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the Stat	) for gas 2n-Ni Photing E GUII Adapter 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan	C DE Real # 40503 40503 40503 40503 37558 3	87 50 Pee Soi Pee Jee KI (JST-13 Pee Jee KI (JST-13 Pee Jee KI (JST-23 Pee Jee KI CITPee Jee CITPee	21878 21878 21878 21878 Prez Bonder Prez Bonder	15 - Geol-Brog 19 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog	SEALL DISA Color Temperature Comman App Main-Archite Benetik of Se NINR Color Temperature Color	NG ELEME Book 4/91 (10) 4/01 (	ENTS  Promotion resource  Promotion  Promotion Promotion  Promotion  Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion Promotion	NENT NENT		(	
et al constant a la constant a	Working pr           Sentace Prin           ODLIN           Control (1997)           Control (1997) <t< td=""><td>exure range 125 pd (6.4 bod) consider Exercision Resident 1 CORRECTION RESERVATION Reserved The Second Reserved Reserved Reserved Reserved Reserved Reserved Reserved Reserved Reser</td><td>) for gas 2n-Ni Photing E GUII Adapter 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan</td><td>C DE Real # 40503 40503 40503 40503 37558 3</td><td>IP 30 Puis lost Peis java 03 EF - 13 Peis java 03 EF - 17 Peis java 03 EF - 7 Peis Java 04 EF - 7 Peis Java 14 Peis Java 14 V Peis Java 14 Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis</td><td>21878 21878 21878 21878 Prez Bonder Prez Bonder</td><td>15 - Geol-Brog 19 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog</td><td>SEALI PSM Color Temperature Comman Agi Manudecturin Emailtin of Ser Ferepeature Temperature Color Temperature Color Manudecturin</td><td>NG ELEME Brivino Arro a ploatine Ploatine</td><td>ENTS  Prote Failure for the second se</td><td>NENT NENT</td><td></td><td>(</td><td></td></t<>	exure range 125 pd (6.4 bod) consider Exercision Resident 1 CORRECTION RESERVATION Reserved The Second Reserved Reserved Reserved Reserved Reserved Reserved Reserved Reserved Reser	) for gas 2n-Ni Photing E GUII Adapter 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan 4 rospan	C DE Real # 40503 40503 40503 40503 37558 3	IP 30 Puis lost Peis java 03 EF - 13 Peis java 03 EF - 17 Peis java 03 EF - 7 Peis Java 04 EF - 7 Peis Java 14 Peis Java 14 V Peis Java 14 Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis Jar Peis Peis	21878 21878 21878 21878 Prez Bonder Prez Bonder	15 - Geol-Brog 19 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog 15 - Geol-Brog	SEALI PSM Color Temperature Comman Agi Manudecturin Emailtin of Ser Ferepeature Temperature Color Temperature Color Manudecturin	NG ELEME Brivino Arro a ploatine Ploatine	ENTS  Prote Failure for the second se	NENT NENT		(	

CarbonPress® Handout

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Our Master Brand Templates**

### **Posters and Banners**

Merit is committed to supporting our partnerships through various programs and events. If a banner or poster is needed, we do have several styles to choose from below. If you have a special request, please reach out to our Marketing Department at mbmarketing@meritbrass.com



Retractable Banners

3' x 3' Banners

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### CONCLUSION

## Letterhead

Rome e Street number, City, State, Zip Code name@email.com 000.000.0000

Date, Month 00, Year

pum door in creat, consectenee dapticing all, sed dam horimmy han Includin II block doke magna diagtam eral valation. II will erim da emotion all and the set of the set of the set of the set of the set mode consequent. Disk autem vale sem itse dokr in hendref in valation er estellace consequent. Unlik autem vale sem itse dokr in hendref in valation er estellace consequent. Valita addres eral begraft all to addres all valations are sen et latio odio digrissim qui blandit prosent luptatum zati delenit augue duis te levgati nulta cotiliti.

Lotem (psum dolor sit armet, cons ecletuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolare magna aliquam erati volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation utamcorper suscipit labortis nisi ut aliquip ea commado consequat.

Loein plan door if one conscionte conscionte de la conscionte de la conscionte para manuel de la conscionte en commode consequet. Des culteres vels en trans de la conscience en conscience accounte el tuto a da clánsism qui blandit present lupratum zati delenta que du doiter e la lugaría final da calita.

Full Name



### **Paper Envelopes**





Poly Window 4x9 Envelope

9x12 Envelope

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

BRAND COLORS The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography


### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Mailing Labels**



# **Email Signatures**



### Full Name

Title

Tel: 000.000.0000 Ext. 000 | Tel: 000.000.0000 name@meritbrass.com Merit Brass Company One Merit Drive | PO Box 43127 | Cleveland, OH 44143 www.meritbrass.com | www.mbwebxpress.com

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### **Business Cards**



### FULL NAME

E: name themetiticss; com tel: (0000000000) Preb:: (000000000) Preb:: (000000000) Address / Address 2; Cithy 51, Zip Code Clavedow Hb Is realised to a ISO 1901;2015 Quality System Title or Position

E: name@merifbrass.com Tel: 000.000.0000 Ext. 000 Prefix: 000.000.0000 Prefix: 000.000.0000 Prefix: 000.000.0000

**FULL NAME** 

Address | Address 2. City, ST, Zip Code



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

**BRAND COLORS** The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **PowerPoint Template**









The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**


Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures **Business** Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# Video Call Backgrounds

Zoom & Microsoft Teams Backgrounds









#### Merit Branding 2023

### LOGO

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

#### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

#### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### **Website**

Our branding guideline will be available on our website, meritbrass.com. While we will endeavor to apprise you of any brand changes, our website will serve as your most current version of this document (www.meritbrass.com/branding-guidelines).

The website is an extension of the Merit brand; and therefore, carries the same design elements and direction as in print or other digital methodologies.

In addition to meritbrass.com, Merit does have a web portal for our established wholesale partners. Our web portal is called **MBWebXpress** and the site is accessible via www.mbwebxpress.com. This site must always be referenced as MBWebXpress not MBWebExpress or MBWeb Express.







# BUSINESS UNIT GUIDELINES

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# Press Technology Logos

The press technology logos can only be reproduced in black and white. Below are the specifics to each Merit Press alloy:

### **CopperPress®**



### **StainlessPress®**



### **CarbonPress®**



CopperPress® is a trademarked name and therefore, must include the ® symbol as superscript at the end. Additionally, by Merit Brass Co. in italics must reside under the "per" in copper.

StainlessPress® is also a trademarked name; and therefore, must include the ® symbol as superscript at the end. Isotubi-USA, By Merit Brass Co. in italics should reside under the N through to the S in stainless.

CarbonPress<sup>®</sup> is also a trademarked name; and therefore, must include the ® symbol as superscript at the end. By Merit Brass Co. in italics should reside under the N through to the R in CarbonPress.

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

Our family of forms

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### CONCLUSION

# **Visual Indicator Press Ring®**

It is also important to understand the proper terminology around our patented VIPR® band. VIPR is also trademarked as is its extended naming: Visual Indicator Press Ring®. Therefore, each must include the ® symbol as superscript at the end. Please refer to our fonts and colors for VIPR and the box below.



The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

BRAND FONTS

Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

## **Business Unit Safe Zones**







The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS**

Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

CONCLUSION

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# **Business Unit Logo Do's & Don'ts**



Do: Use the logo in white over black background.



Don't: Separate the icon from the logo.



Don't: Separate the icon from the logo



Don't: Use the logo with shadows or glow (inner or outer).

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

### **BRAND COLORS**

The Merit Brand Colors Primary Color Palette Press Offering Colors

### **BRAND FONTS** Our Family of Fonts

**BRAND PRINCIPALS** 

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

# Merit's Endorsement of Individual Brands





www.meritbrass.com www.mbwebxpress.com



Merit Brass Co. One Merit Dr. • PO Box 43127 Cleveland, OH 44143

The Merit Logo The Merit Logo Detailed The Safe Zone for Our Logo Position & Lock-up The Do's and Don'ts

BRAND COLORS

The Merit Brand Colors Primary Color Palette Press Offering Colors

**BRAND FONTS** Our Family of Fonts

### **BRAND PRINCIPALS**

Our Brand Voice Our Brand Imagery Photography

### **BRAND LAYOUT**

Layout Explained Title and Subtitle Print Templates Posters and Banners Letterhead Paper Envelopes Mailing Labels Email Signatures Business Cards PowerPoint Template Video Call Background Website

### **BUSINESS UNIT GUIDELINES**

Press Technology Logos Visual Indicator Press Ring® Business Unit Safe Zones Business Unit Logo Do's & Don'ts Merit's Endorsement

### Conclusion



Consistent branding is vital to the success of an organization. Each element is carefully selected and put together to ensure that the message to the market is reflective of the brand's true voice, personality and overall look and feel.

We sincerely appreciate your support in helping us champion our brand in a positive, consistent way. If you have any questions, please direct them to the Marketing Department at mbmarketing@meritbrass.com

