



CopperPress® Small Diameter Equal Tee is available in sizes ½" – 2" with an EPDM sealing element.

- FIRST TO MARKET Visual Indicator Press Ring® (VIPR®) facilitates immediate identification of un-pressed connections.
- Leak Before Press (LBP) in addition to the VIPR®, all sizes have leak before press technology, which guarantees a visual indication if the fitting is not pressed.
- **Applications:** HVAC, plumbing, municipal, mechanical and industrial applications.

## CopperPress® Operational Parameters:

EPDM working pressure range from full vacuum to 300 psi for water.

## CopperPress® Fitting Certifications

ICC-ES LC1002, NSF/ANSI/CAN 61, NSF/ANSI/CAN 372, IAPMO Z 1117.

## CopperPress® Codes and Standards

ASME B31.1, B31.3, B31.9, IPC, IMC, IRC, UPC, UMC, CPC & CMC, City of Los Angeles Plumbing and Mechanical Codes, Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code, Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28.

Equal Tee					PXPXP
Item Number	D1 (in)	L1 (in)	A1 (in)	L2 (in)	A2 (in)
EPDM					
MB14110	1/2"	1.56	0.75	1.28	0.47
MB14140	3/4"	1.79	0.85	1.59	0.65
MB14190	1"	1.91	0.96	1.73	0.79
MB14280	11/4"	2.13	0.98	1.97	0.83
MB14400	1 1/2"	2.62	1.16	2.76	1.30
MB14510	2"	2.99	1.38	3.15	1.54

