


Male Union		P x MPT	
		Job Name	<input type="text"/>
		Job Location	<input type="text"/>
		P.O.#	<input type="text"/>
		Engineer	<input type="text"/>
		Contractor	<input type="text"/>
		Wholesaler	<input type="text"/>
		Merit Associate	<input type="text"/>
<p>CopperPress® Small Diameter Male Union is available in sizes ½" x ½" MPT – 2" x 2" MPT with an EPDM sealing element.</p> <ul style="list-style-type: none"> • FIRST TO MARKET Visual Indicator Press Ring® (VIPR®) - facilitates immediate identification of un-pressed connections. • Leak Before Press (LBP) - in addition to the VIPR®, all sizes have leak before press technology, which guarantees a visual indication if the fitting is not pressed. • Applications: HVAC, plumbing, municipal, mechanical and industrial applications. <p>CopperPress® Operational Parameters: EPDM working pressure range from full vacuum to 300 psi for water.</p> <p>CopperPress® Fitting Certifications ICC-ES LC1002, NSF/ANSI/CAN 61, NSF/ANSI/CAN 372, IAPMO Z 1117.</p> <p>CopperPress® Codes and Standards ASME B31.1, B31.3, B31.9, IPC, IMC, IRC, UPC, UMC, CPC & CMC, City of Los Angeles Plumbing and Mechanical Codes, Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code, Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28.</p>			

Male Union				P x MPT
Item Number	D1 (in)	D2 (in)	L (in)	A (in)
EPDM				
MB34000	½"	½" MPT	2.58	1.77
MB34010	¾"	¾" MPT	2.72	1.77
MB34020	1"	1" MPT	2.89	1.95
MB34030	1¼"	1¼" MPT	3.27	2.13
MB34040	1½"	1½" MPT	3.62	2.17
MB34050	2"	2" MPT	3.98	2.36

