

3000 LB. Threaded Fittings

Type 304/304L Stainless Steel

ORDER NOW

Description	Size (in)											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
90° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Tees	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Red. Tees	—	—	—	—	POA	POA	—	POA	POA	—	POA	—
45° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
St. Elbows	POA	POA	POA	POA	POA	POA	—	POA	POA	—	—	—
Couplings	POA	POA	POA	POA	POA	POA	POA	—	—	POA	POA	—
Red. Couplings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Half Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Caps	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Unions	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Hex Bushings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Sq. Hd. Plugs	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—	—
Hex Hd. Plugs	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—

3000 LB. Threaded Fittings

Type 316/316L Stainless Steel

ORDER NOW

Description	Size (in)											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
90° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
Tees	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
Red. Tees	—	—	—	—	POA	POA	—	POA	POA	—	—	—
45° Elbows	76.26	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
St. Elbows	—	POA	POA	POA	POA	—	—	—	—	—	—	—
Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
Red. Couplings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Half Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Caps	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Unions	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Hex Bushings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Sq. Hd. Plugs	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—	—
Hex Hd. Plugs	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—	—

Some items and sizes may be discontinued when a stock is depleted and may require a minimum quantity.

Every precaution has been taken in preparing this list price sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors.

Please note that some sizes of certain items carry a different list price than what is shown on this sheet.

3000 LB. Socket Weld Fittings

Type 304/304L Stainless Steel

ORDER NOW

Description	Size (in)												
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
90° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Tees	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Red. Tees	—	—	—	—	POA	POA	—	POA	POA	—	—	—	—
45° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Red. Couplings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—	—
Half Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Inserts	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—
Caps	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Unions	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—

3000 LB. Socket Weld Fittings

Type 316/316L Stainless Steel

ORDER NOW

Description	Size (in)												
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
90° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Tees	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	POA	—
Red. Tees	—	—	—	—	POA	POA	—	POA	POA	POA	—	—	—
45° Elbows	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Red. Couplings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—
Half Couplings	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Inserts	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—	—
Caps	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—
Unions	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	—

Some items and sizes may be discontinued when a stock is depleted and may require a minimum quantity.

Every precaution has been taken in preparing this list price sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors.

Please note that some sizes of certain items carry a different list price than what is shown on this sheet.

Threaded X Socket Weld Fittings

Type 304/304L & 316/316L 3000# Stainless Steel

ORDER NOW

Description	Size (in)												
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
304 Full Couplings	—	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
316 Full Couplings	—	POA	POA	POA	72.66	POA	POA	POA	POA	POA	POA	POA	POA

Outlets

Type 304/304L & 316/316L 3000# Stainless Steel

ORDER NOW

Description	Size (in)											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
304 Threaded	—	POA	POA	POA	POA	POA	POA	POA	POA	—	POA	POA
316 Threaded	—	POA	POA	POA	POA	POA	POA	POA	POA	—	POA	POA
304 Socket Weld	—	—	—	POA	POA	POA	POA	POA	POA	—	—	—
316 Socket Weld	—	—	—	POA	POA	POA	POA	POA	POA	—	—	—
304 Buttweld	—	—	—	POA	POA	POA	POA	POA	POA	POA	POA	POA
316 Buttweld	—	—	—	POA	POA	POA	POA	POA	POA	—	POA	POA



Some items and sizes may be discontinued when a stock is depleted and may require a minimum quantity. Every precaution has been taken in preparing this list price sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. Please note that some sizes of certain items carry a different list price than what is shown on this sheet.

LOCATIONS

SPARKS DISTRIBUTION CENTER
200 Vista Boulevard Suite #106
Sparks, NV 89434

DALLAS DISTRIBUTION CENTER
10614 King William Drive
Dallas, TX 75220


CLEVELAND HEADQUARTERS
One Merit Drive/PO Box 43127
Cleveland, OH 44143

BIRMINGHAM DISTRIBUTION CENTER
220 Oxmoor Court
Birmingham, AL 35209

HOUSTON DISTRIBUTION CENTER
4680 S. Sam Houston Pkwy W, Suite 120
Houston, TX 77053


SHIPPING TIMES

UPS



1 Day 2 Days 3 Days

FedEx



1 Day 2 Days 3 Days 4 Days

*FedEx is Merit's Primary Carrier

LEARN MORE



800.726.9800

Follow us on

www.meritbrass.com
www.mbwebxpress.com
contactus@meritbrass.com

Merit Brass Headquarters Has An ISO 9001:2015 Registered Quality Management System