

45° Street Elbow	FTG x P														
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #d3d3d3;">Job Name</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">Job Location</td> <td><input style="width: 100%; height: 40px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">P.O.#</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">Engineer</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">Contractor</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">Wholesaler</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> <tr> <td style="background-color: #d3d3d3;">Merit Associate</td> <td><input style="width: 100%; height: 20px;" type="text"/></td> </tr> </table>	Job Name	<input style="width: 100%; height: 20px;" type="text"/>	Job Location	<input style="width: 100%; height: 40px;" type="text"/>	P.O.#	<input style="width: 100%; height: 20px;" type="text"/>	Engineer	<input style="width: 100%; height: 20px;" type="text"/>	Contractor	<input style="width: 100%; height: 20px;" type="text"/>	Wholesaler	<input style="width: 100%; height: 20px;" type="text"/>	Merit Associate	<input style="width: 100%; height: 20px;" type="text"/>
Job Name	<input style="width: 100%; height: 20px;" type="text"/>														
Job Location	<input style="width: 100%; height: 40px;" type="text"/>														
P.O.#	<input style="width: 100%; height: 20px;" type="text"/>														
Engineer	<input style="width: 100%; height: 20px;" type="text"/>														
Contractor	<input style="width: 100%; height: 20px;" type="text"/>														
Wholesaler	<input style="width: 100%; height: 20px;" type="text"/>														
Merit Associate	<input style="width: 100%; height: 20px;" type="text"/>														

StainlessPress® 45° Elbow FTG x P is available in sizes 1/2" – 2" with an EPDM, HNBR or FKM sealing element.

- **FIRST TO MARKET Visual Indicator Press Ring® (VIPR®)** - facilitates immediate identification of un-pressed connections.
- **Mates with IPS (Iron Pipe Size)** 304 & 316 Schedule 5 or 10 Stainless Steel Pipe.
- **Leak Before Press (LBP)** - in addition to the VIPR®, all sizes have leak before press technology, which guarantees a visual indication if the fitting is not pressed.
- **Applications:** HVAC, plumbing, municipal, mechanical, industrial and marine applications.

StainlessPress® Operational Parameters

- **Operating Pressure:** from full vacuum to 300 PSI on Schedule 5 or 10 Stainless Steel Pipe.
- **Temperature Range:** EPDM: -4°F to 230°F. | HNBR: -31°F to 248°F. | FKM: -4°F to 356°F.

StainlessPress® Certifications

IAPMO/ANSI/CAN Z1117, NSF/ANSI/CAN 61 (EPDM only), NSF/ANSI/CAN 372 (EPDM only), FM 1920, American Bureau of Shipping Product Design Assessment (PDA) Certificate 1-5-PR1438892-PDA, Piping System and Couplings.

StainlessPress® Codes and Standards

ASME B31.1, B31.3, B31.9, IPC, IMC, IRC, UPC, UMC, CPC & CMC, City of Los Angeles Plumbing & Mechanical Codes, Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code: Massachusetts State Building Code 780 CMR Ninth edition: Chapter 28: NPSC, NPCC.

45° Street Elbow					FTG x P			
Item Number			Nominal Size (in)	O.D.	Dimensions (in)			Weight lbs
EPDM	HNBR	FKM			A	B	C	
MBF061/26GE	MBF061/26GEH	MBF061/26GEF	1/2"	0.840	0.79	1.62	2.25	0.20
MBF063/46GE	MBF063/46GEH	MBF063/46GEF	3/4"	1.050	0.90	1.85	2.26	0.26
MBF0616GE	MBF0616GEH	MBF0616GEF	1"	1.315	1.13	2.14	2.49	0.37
MBF0611/46GE	MBF0611/46GEH	MBF0611/46GEF	1 1/4"	1.660	1.05	2.23	2.63	0.51
MBF0611/26GE	MBF0611/26GEH	MBF0611/26GEF	1 1/2"	1.900	1.17	2.37	2.89	0.60
MBF0626GE	MBF0626GEH	MBF0626GEF	2"	2.375	1.48	3.24	3.83	1.06

